

Tabulka 12.6: Kritické hodnoty k_1 a k_2 pro znaménkový test
 $P(Y \leq k_1) \leq \alpha/2 \quad P(Y \geq k_2) \leq \alpha/2$.

$\alpha = 0,05 \quad \alpha = 0,01$

N	k_1	k_2	k_1	k_2
6	0	6	-	-
7	0	7	-	-
8	0	8	0	8
9	1	8	0	9
10	1	9	0	10
11	1	9	0	11
12	2	10	1	11
13	2	11	1	12
14	2	12	1	13
15	3	12	2	13
16	3	13	2	14
17	4	13	2	15
18	4	14	3	15
19	4	15	3	16
20	5	15	3	17

$\alpha = 0,05 \quad \alpha = 0,01$

N	k_1	k_2	k_1	k_2
21	5	16	4	17
22	5	17	4	18
23	6	17	4	19
24	6	18	5	19
25	7	18	5	20
26	7	19	6	20
27	7	20	6	21
28	8	20	6	22
29	8	21	7	22
30	9	21	7	23
31	9	22	7	24
32	9	23	8	24
33	10	23	8	25
34	10	24	9	25
35	11	24	9	26

$\alpha = 0,05 \quad \alpha = 0,01$

N	k_1	k_2	k_1	k_2
36	11	25	9	27
37	12	25	10	27
38	12	26	10	28
39	12	27	11	28
40	13	27	11	29
41	13	28	11	30
42	14	28	12	30
43	14	29	12	31
44	15	29	13	31
45	15	30	13	32
46	15	31	13	33
47	16	31	14	33
48	16	32	14	34
49	17	32	15	34
50	17	33	15	35